

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Rozenzon, et al.

Serial No.: 09/325,026

Confirmation No.: 2304

Filed: June 3, 1999

For: Temperature Controlled
Window With a Fluid
Supply System

Group Art Unit: 1763

Examiner: L. L. Alejandro Mulero

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

CERTIFICATE OF FACSIMILE
TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence and the documents referred to as attached therein are being facsimile transmitted to the U.S. Patent and Trademark Office to the fax number indicated by the Examiner, namely, fax number (703)-872-9311 to the attention of the named Examiner, on the date below.

9/25/03
Date

Kent R. Zuber
Signature

SECOND RESPONSE TO FINAL OFFICE ACTION DATED JUNE 27, 2003

In response to the Final Office Action dated June 27, 2003, having a shortened statutory period for response set to expire on September 27, 2003, please enter this response and reconsider the claims pending in the application for reasons discussed below. Although Applicants believe that no fee is due in connection with this response, the Commissioner is hereby authorized to charge counsel's Deposit Account No. 20-0782/AMAT/2922.Y1/KMT, for any fees, including extension of time fees or excess claim fees, required to make this response timely and acceptable to the Office.

Amendments to the Claims are reflected in the listing of claims which begins on page 2 of this paper. Remarks/Arguments begin on page 6 of this paper.

RECEIVED
CENTRAL FAX CENTER
SEP 26 2003

OFFICIAL